



Phone: (215) 244-1300  
 Email: lab@criterionlabs.com  
 Website: criterionlabs.com

# Chain of Custody

Customer Information		Billing Information		Turn Around Time (TAT)
Company Name:		Company Name: <input type="checkbox"/> Same as customer info		<input type="checkbox"/> 3-Hour* (Note 1) <input type="checkbox"/> 6-Hour* (Note 2) <input type="checkbox"/> 24-Hour <input type="checkbox"/> 48-Hour <input type="checkbox"/> 72-Hour <input type="checkbox"/> 96-Hour <input type="checkbox"/> 1-Week <input type="checkbox"/> 2-Week
Contact Name:		Contact Name:		
Street Address:		Street Address:		
City, State, ZIP:		City, State, ZIP:		
Country:		Country:		
Phone:	Email(s) for Report:	Phone:	Email(s) for Invoice:	
Site Address:				
Street Address:		City, State, ZIP:		

**Notes:** Note 1: 3-Hour samples must be dropped off before 12:00pm for same day results  
 Note 2: 6-Hour samples must be dropped off before 9:00am for same day results  
 Note: Specific TATs depend on test requested; not all TATs are available for all analyses.

Asbestos Testing	Lead Testing	Environmental Microbiology Testing	
<p><b>PCM Air</b></p> <input type="checkbox"/> NIOSH 7400	<p><b>Flame Atomic Absorption</b></p> <input type="checkbox"/> Air NIOSH 7082 <input type="checkbox"/> Paint Chips SW-846-7000B <input type="checkbox"/> Soil SW-846-7000B	<p><b>Air</b></p> <input type="checkbox"/> Air-O-Cell ASTM D7391 <input type="checkbox"/> ID/Enumeration of Culturable Fungi ASTM D7658 (Genus Level) <input type="checkbox"/> ID/Enumeration of Culturable Fungi ASTM D7658 (Species Level) <input type="checkbox"/> ID/Enumeration of Culturable Bacteria (5 Types) <input type="checkbox"/> Endotoxins LAL Assay	<p><b>Water</b></p> <input type="checkbox"/> Heterotrophic Plate Count <input type="checkbox"/> Total Coliform Presence/Absence w/ E. Coli Screen SM 9223B <input type="checkbox"/> Total Coliform Presence/Absence w/o E. Coli Screen SM 9223B <input type="checkbox"/> Total Coliform w/ Membrane Filtration SM 9223B <input type="checkbox"/> E. Coli Membrane Filtration SM 9222G <input type="checkbox"/> Legionella Enumeration/Detection w/ Membrane Filtration ISO 11731 <input type="checkbox"/> Legionella Enumeration/Detection w/ Membrane Filtration and Heat Treatment (CDC Method) <input type="checkbox"/> Legionella by qPCR <input type="checkbox"/> Endotoxins LAL Assay
<p><b>PLM Bulk (Reporting Limit)</b></p> <input type="checkbox"/> EPA 600/R-93/116 (<1%) <input type="checkbox"/> EPA NOBs (0.5%) <input type="checkbox"/> Point Count <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1,000 (<0.1%) <input type="checkbox"/> Point Count w/ Gravimetric <input type="checkbox"/> 400 (<0.25%) <input type="checkbox"/> 1,000 (<0.1%)	<p><b>ICP</b></p> <input type="checkbox"/> Settled Dust Surface Wipes SW-846-7000B (Complies with City of Philadelphia) <input type="checkbox"/> Drinking Water EPA 200.9	<p><b>Dust Characterization</b></p> <input type="checkbox"/> Dust Characterization ASTM D7391	
<p><b>PLM Bulk - Soil, Dust, Vermiculite</b></p> <input type="checkbox"/> ASTM D7521 (Sieve Method)	<p><b>X-Ray Fluorescence</b></p> <input type="checkbox"/> Soil EPA 6200 <input type="checkbox"/> Paint ASTM F2853-10	<p><b>Bulk/Swab/Surface Samples</b></p> <input type="checkbox"/> ID/Enumeration of Fungal Structures w/ Direct Examination <input type="checkbox"/> ID/Enumeration of Culturable Fungi ASTM D7658 (Genus Level) <input type="checkbox"/> ID/Enumeration of Culturable Fungi ASTM D7658 (Species Level) <input type="checkbox"/> ID/Enumeration of Culturable Bacteria (5 Types)	
	<p><b>Other (Specify):</b></p> <input type="checkbox"/> _____		

Special Instructions/Comments:

Printed Name of Sampler:	Date / Time:
Relinquished by:	Date / Time:

