

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued October 15, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. RENEE BATTISTE
CRITERION LABORATORIES, INC.
400 STREET ROAD
BENSALEM, PA 19020**

NY Lab Id No: 12210

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER

All approved analytes are listed below:

Bacteriology

Heterotrophic Plate Count SM 20, 21-23 9215B (-04)

Perfluorinated Alkyl Acids

11CI-PF3OUdS	EPA 533 EPA 537.1, Version 2
4:2FTS	EPA 533
6:2FTS	EPA 533
8:2FTS	EPA 533
9CI-PF3ONS	EPA 533 EPA 537.1, Version 2
ADONA	EPA 533 EPA 537.1, Version 2
HFPO-DA (GenX)	EPA 533 EPA 537.1, Version 2
NEtFOSAA	EPA 537.1, Version 2
NFDHA	EPA 533
NMeFOSAA	EPA 537.1, Version 2
Perfluorotridecanoic Acid (PFTrDA)	EPA 537.1, Version 2
Perfluorodecanoic Acid (PFDA)	EPA 533 EPA 537.1, Version 2
Perfluoro-3-Methoxypropanoic Acid (PFMPA)	EPA 533
Perfluoro-4-Methoxybutanoic Acid (PFMBA)	EPA 533
Perfluorobutanesulfonic Acid (PFBS)	EPA 533 EPA 537.1, Version 2
Perfluorobutanoic Acid (PFBA)	EPA 533
Perfluorododecanoic Acid (PFDoA)	EPA 533 EPA 537.1, Version 2
Perfluoroheptanesulfonic Acid (PFHpS)	EPA 533

Serial No.: 73103

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued October 15, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

**MS. RENEE BATTISTE
CRITERION LABORATORIES, INC.
400 STREET ROAD
BENSALEM, PA 19020**

NY Lab Id No: 12210

is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER

All approved analytes are listed below:

Perfluorinated Alkyl Acids

Perfluoroheptanoic Acid (PFHpA)	EPA 533 EPA 537.1, Version 2
Perfluorohexanesulfonic Acid (PFHxS)	EPA 533 EPA 537.1, Version 2
Perfluorohexanoic Acid (PFHxA)	EPA 533 EPA 537.1, Version 2
Perfluorononanoic Acid (PFNA)	EPA 533 EPA 537.1, Version 2
Perfluorooctanesulfonic Acid (PFOS)	EPA 533 EPA 537.1, Version 2
Perfluorooctanoic Acid (PFOA)	EPA 533 EPA 537.1, Version 2
Perfluoropentanesulfonic Acid (PFPeS)	EPA 533
Perfluoropentanoic Acid (PFPeA)	EPA 533
Perfluorotetradecanoic Acid (PFTeDA)	EPA 537.1, Version 2
Perfluoroundecanoic Acid (PFUnA)	EPA 533 EPA 537.1, Version 2
PFEEESA	EPA 533

Serial No.: 73103

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2027
Issued October 15, 2026

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. RENEE BATTISTE
CRITERION LABORATORIES, INC.
400 STREET ROAD
BENSALEM, PA 19020

NY Lab Id No: 12210

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved subcategories and/or analytes are listed below:

Bacteriology

Legionella

ISO 11731:2017(E)



Serial No.: 73104

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.